

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6879	((370/235,238,238.1) or (709/241,238)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/02/27 12:49
L2	130	((MOHAN) near2 (KALKUNTE)). INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 12:51
L3	28	((SRI NIVAS) near2 (SAMPATH)).INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 12:51
L4	7	((KARAGADA) near2 (KISHORE)).INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 12:51
L6	143	2 3 4	US-PGPUB; USPAT	OR	ON	2008/02/27 12:51
L7	97	6 and equal	US-PGPUB; USPAT	OR	ON	2008/02/27 12:52
L8	0	6 and equal-path	US-PGPUB; USPAT	OR	ON	2008/02/27 12:52
L9	0	6 and equal adj path	US-PGPUB; USPAT	OR	ON	2008/02/27 12:52
L10	81	6 and pointer	US-PGPUB; USPAT	OR	ON	2008/02/27 12:52
L11	99	6 and instruction	US-PGPUB; USPAT	OR	ON	2008/02/27 12:52
L12	1	L2 and (path near cost)	US-PGPUB; USPAT	OR	ON	2008/02/27 12:54
S1	788	"370/238".CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/27 10:59
S2	1799	path near cost	US-PGPUB; USPAT	OR	OFF	2007/08/27 11:47
S3	167	S1 and S2	US-PGPUB; USPAT	OR	OFF	2007/08/27 11:00
S4	2175	path near cost	US-PGPUB; USPAT	OR	ON	2007/08/27 11:00
S5	183	S1 and S4	US-PGPUB; USPAT	OR	OFF	2007/08/27 11:18
S6	2	("20040264380").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 11:01
S7	21	S5 and attribute	US-PGPUB; USPAT	OR	OFF	2007/08/27 11:18
S8	50	path near (equal adj cost)	US-PGPUB; USPAT	OR	OFF	2007/08/27 12:06
S9	126	((MOHAN) near2 (KALKUNTE)). INV.	US-PGPUB; USPAT	OR	ON	2007/08/27 11:55

S10	27	((SRI NIVAS) near2 (SAMPATH)).INV.	US-PGPUB; USPAT	OR	ON	2007/08/27 11:56
S11	6	((KARAGADA) near2 (KISHORE)).INV.	US-PGPUB; USPAT	OR	ON	2007/08/27 11:56
S12	1	S9 and (path near cost)	US-PGPUB; USPAT	OR	ON	2007/08/27 11:57
S13	1	S10 and (path near cost)	US-PGPUB; USPAT	OR	ON	2007/08/27 11:57
S14	1	S11 and (path near cost)	US-PGPUB; USPAT	OR	ON	2007/08/27 11:57
S15	4	S11 and (path)	US-PGPUB; USPAT	OR	ON	2007/08/27 11:57
S16	16	S10 and (path)	US-PGPUB; USPAT	OR	ON	2007/08/27 11:59
S17	55	S9 and (path)	US-PGPUB; USPAT	OR	ON	2007/08/27 12:01
S18	27	path with cost with packet with equal	US-PGPUB; USPAT	OR	OFF	2007/08/27 12:07
S19	261	path with cost with packet	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:28
S20	97367	S19 attribute	US-PGPUB; USPAT	OR	OFF	2007/08/27 12:07
S21	35	S19 and attribute	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:27
S22	1	S19 with attribute	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:27
S23	6	(equal adj path) with cost	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:37
S24	1	(equal adj path adj cost)	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:43
S25	568	(path adj cost)and (routing)	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:43
S26	111	(path adj cost)and (routing adj table)	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:44
S27	6	(path adj cost) with (routing adj table)	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:45
S28	56	(path adj cost) with (peer equal match)	US-PGPUB; USPAT	OR	OFF	2007/08/27 14:18
S29	61	(equal-cost (equal adj cost) (match adj cost)) with (packet frame)	US-PGPUB; USPAT	OR	ON	2007/08/27 14:29
S30	808	(equal-cost (equal adj cost) (match adj cost) multipath) with (packet frame)	US-PGPUB; USPAT	OR	ON	2007/08/27 14:30
S31	1159	(equal-cost (equal adj cost) (match adj cost) multipath multi-path) with (packet frame)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:15
S32	106	S31 and attribute	US-PGPUB; USPAT	OR	ON	2007/08/27 14:59

S33	86	S32 not S29	US-PGPUB; USPAT	OR	ON	2007/08/27 14:56
S34	4	S31 and (packet near attribute)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:04
S35	3	S31 and (packet adj attribute)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:04
S36	477	S31 and (rout\$4)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:16
S37	72	S36 and attribute	US-PGPUB; USPAT	OR	ON	2007/08/27 15:16
S38	52	S37 not S29	US-PGPUB; USPAT	OR	ON	2007/08/27 15:17
S39	0	S38 not S33	US-PGPUB; USPAT	OR	ON	2007/08/27 15:17
S40	9	("5233604" "5491690" "5521910" "6061736" "6385201" "6483808" "6661797" "6842427" "6993593").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/27 15:19
S41	13	(US-20030161338-\$ or US- 20030108052-\$ or US- 20040071089-\$ or US- 20050083931-\$ or US- 20040090919-\$ or US- 20040008675-\$ or US- 20020141403-\$).did. or (US- 7072304-\$ or US-7190696-\$ or US-7079493-\$ or US-6987735- \$ or US-6831895-\$ or US- 6963578-\$).did.	US-PGPUB; USPAT	OR	ON	2007/08/27 15:25
S42	0	S41 and (router with equal with cost with path with atrib \$3)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:26
S43	0	S41 and (router with equal with cost with path with frame)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:27
S44	5	S41 and (router with equal with cost with path)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:27
S45	2	S41 and (router with equal with cost with path with data)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:27
S46	0	S41 and (router with equal with cost with path with (data near frame))	US-PGPUB; USPAT	OR	ON	2007/08/27 15:27
S47	12	("20020172203" "20030137978" "5394393" "5566170" "6192051" "6567382" "6643287" "6646989" "6721800" "6888838" "6987735" "7009987").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/27 15:59
S48	23	(Equal near Cost near Multipath) and ECMP	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/27 16:46

S49	4	("2003/0002443").URPN.	USPAT	OR	ON	2007/08/27 16:26
S50	0	("9546702").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 17:13
S51	2	("6643287").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 17:13
S52	20861	S51 and distribut\$4 (source adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:14
S53	1	S51 and distribut\$4 and (source adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:14
S54	1	S51 and distribut\$4 and cost and (source adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:15
S55	2	("6643287").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 13:48
S56	1	S55 and (distribut\$4 with source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 08:50
S57	2	S55 and (distribut\$4 same source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 08:52

S58	1	S55 and (distribut\$4 and (source adj address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:01
S59	1	S55 and (distributing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:00
S60	0	S55 and (distributing near packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:01
S61	16	(US-20040071089-\$ or US-20030002443-\$ or US-20030108052-\$ or US-20030161338-\$ or US-20040008675-\$ or US-20050083931-\$ or US-20020141403-\$ or US-20040090919-\$).did. or (US-7072304-\$ or US-6987735-\$ or US-6831895-\$ or US-7079493-\$ or US-6963578-\$ or US-7190696-\$ or US-6643287-\$ or US-6888838-\$).did.	US-PGPUB; USPAT	OR	ON	2007/08/28 09:00
S62	8	S61 and (distribut\$4 and (source adj address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:26
S63	3	S61 and (distributing near packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:01
S64	3	S62 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:01
S65	0	S61 and ((distribut\$4 with (source adj address)) with cost)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:05

S66	0	S61 and ((distribut\$4 with (source adj address)) same cost)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:05
S67	2	("7190696").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 09:26
S68	0	S67 and (header with distribut \$3 with source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:27
S69	0	S67 and (header same distribut \$3 same source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:27
S70	0	S67 and (header and distribut \$3 and source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:28
S71	38912	(distribut\$3 near device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:32
S72	6	((distribut\$3 near device) with ((equal dj (cost adj path)) (equal-cost adj path)) with packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:34
S73	511	(distribut\$3 near device) with ((equal dj (cost adj path)) (equal-cost adj path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:35
S74	3	S73 and (source adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:37

S75	60	multiple adj (equal-cost (equal adj cost))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:37
S76	6	S75 with source	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:38
S77	1	S75 with (source near address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:38
S78	3	("6643287").URPN.	USPAT	OR	ON	2007/08/28 10:24
S79	8	("5937162" "6041054" "6044080" "6119171" "6366563" "6438127" "6473426" "6587431").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:25
S80	1	S79 and weighted	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:28
S81	0	S79 and (cost near distribut\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:26
S82	4	S79 and (cost and distribut\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:26
S83	0	S79 and (cost with distribut\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:26
S84	0	S79 and (cost same distribut \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:26
S85	0	S79 and (multiple adj (equal- cost (equal adj cost)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:29
S86	0	S79 and multiple adj equal- cost	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:29
S87	0	S79 and equal-cost	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:29
S88	4	S79 and equal	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 12:07
S89	714	weighted near distribution	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 12:08
S90	1	Path with cost with (weighted near distribution)\	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 12:08
S91	1	Path with cost with (weighted near distribution)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 12:08
S92	1	Path with (cost value priority) with (weighted near distribution)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 12:09

S93	7	path with (weighted near distribution)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 12:56
S94	558	(equal with cost with path)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 12:57
S95	219	S94 and weight\$2	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 12:57
S96	29	S94 with weight\$2	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 13:45
S97	4	((("7190696") or ("20040008675")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 13:52
S98	2	("20040264380").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 14:13
S99	1	S56 and prefix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:52
S100	40	first with set with instruction with compilation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:14
S101	13	(first adj set) with instruction with compilation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:37
S102	1	pointer with (first adj set adj instruction) with second with compilation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:39
S103	1	pointer with (first near set near instruction) with second with compilation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:39

S104	1	pointer with (first near set near instruction) with compilation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:42
S105	1	pointer with (first near instruction) with compilation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:42
S106	87	pointer with (first near instruction) and compilation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:42
S107	8	(US-20040090919-\$ or US-20030108052-\$ or US-20030002443-\$ or US-20020141403-\$).did. or (US-7190696-\$ or US-6987735-\$ or US-6963578-\$ or US-6643287-\$).did.	US-PGPUB; USPAT	OR	ON	2007/08/28 17:06
S108	0	S107 and ((routing near table) same updat\$4)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:07
S109	0	S107 and ((routing near table) with updat\$4)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:07
S110	2	S107 and ((routing near table) and updat\$4)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:11
S111	0	S107 and ((routing adj table) and updated)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:12
S112	0	S107 and ((rout\$3 adj table) and updated)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:12
S113	0	S107 and ((rout\$4 adj table) and updated)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:12
S114	0	S107 and ((rout\$4 near table) and updated)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:12
S115	0	S107 and ((rout\$4 near table) and updat)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:12
S116	2	S107 and ((rout\$4 near table) and updat\$4)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:13
S117	10365	((rout\$4 near table) and updat \$4)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:13
S118	3878	((rout\$4 adj table) same updat \$4)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:35
S119	24	S118 and equal-cost	US-PGPUB; USPAT	OR	ON	2007/08/28 17:14
S120	93570	S118 router	US-PGPUB; USPAT	OR	ON	2007/08/28 17:33

S121	2882	S118 and router	US-PGPUB; USPAT	OR	ON	2007/08/28 17:35
S122	1656	S121 and cost	US-PGPUB; USPAT	OR	ON	2007/08/28 17:34
S123	149	S121 and (path near cost)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:34
S124	1533	((rout\$4 adj table) same updat \$4) same router	US-PGPUB; USPAT	OR	ON	2007/08/28 17:35
S125	8	((rout\$4 adj table) same updat \$4) same router With (path near cost)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:38
S126	0	((rout\$4 adj table) same updat \$4) same router With port with (device near logic)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:40
S127	112	((rout\$4 adj table) same updat \$4) same router With port	US-PGPUB; USPAT	OR	ON	2007/08/28 18:03
S128	3	((((rout\$4 adj table) same updat \$4) same router With port) and (lookup near unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:07
S129	0	((((rout\$4 adj table) same updat \$4) same router With port) and ((look adj up) near unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:06
S130	0	((((rout\$4 adj table) same updat \$4) With port) and (lookup near unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:07
S131	3	((((rout\$4 adj table) same updat \$4) same port) and (lookup near unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:09
S132	3	((((rout\$4 adj table) with updat \$4) same port) and (lookup near unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:08
S133	3	((((rout\$4 adj table) same updat \$4) same port) and (lookup adj unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:09
S134	0	((rout\$4 adj table) same updat \$4) with (lookup adj unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:10
S135	10	(rout\$4 adj table) same (lookup adj unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:11
S136	3	(rout\$4 adj table) same (lookup adj unit) and update	US-PGPUB; USPAT	OR	ON	2007/08/29 08:16
S137	2	("20040264380").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 07:55
S138	2	("6643287").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 07:55

S139	16	(rout\$4 adj table) and (lookup adj unit) and update	US-PGPUB; USPAT	OR	ON	2007/08/29 08:28
S140	1972	((rout\$4 adj table) near4 update)	US-PGPUB; USPAT	OR	ON	2007/08/29 09:38
S141	463	S140 and lookup	US-PGPUB; USPAT	OR	ON	2007/08/29 08:28
S142	370	S141 and port	US-PGPUB; USPAT	OR	ON	2007/08/29 08:29
S143	256	S142 and unit	US-PGPUB; USPAT	OR	ON	2007/08/29 08:29
S144	196	S142 and logic	US-PGPUB; USPAT	OR	ON	2007/08/29 08:29
S145	4	S144 and equal-cost	US-PGPUB; USPAT	OR	ON	2007/08/29 08:32
S146	4	S142 and equal-cost	US-PGPUB; USPAT	OR	ON	2007/08/29 08:32
S147	17	S142 and (logic adj unit)	US-PGPUB; USPAT	OR	ON	2007/08/29 08:33
S148	7981	((rout\$4 adj table) and (lookup search (look\$3 adj up)))	US-PGPUB; USPAT	OR	ON	2007/08/29 09:44
S149	5552	((rout\$4 adj table) and (lookup search (look\$3 adj up))) and router	US-PGPUB; USPAT	OR	ON	2007/08/29 09:45
S150	45	S149 and (((equal adj cost) equal-cost)) adj path	US-PGPUB; USPAT	OR	ON	2007/08/29 10:15
S151	201	(370/395.32).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 10:16
S152	83	S151 and lookup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:16
S153	3	S151 and (lookup adj unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:18
S154	0	S151 and (lookup adj unit) with routing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:18

S155	0	S151 and (lookup adj unit) with router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:18
S156	6951	((711/216-221) or (709/238-244)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 09:29
S157	10629	((((rout\$4 forward\$4) adj (table database)) and (lookup search (look\$3 adj up)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 09:31
S158	7	((((equal adj cost) equal-cost) near (path live route) same weight)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:31
S159	847	S156 and S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 09:34
S160	1	S158 and S159	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 09:45
S161	2	"20040264380"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:30
S162	2	S157 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:30
S163	4	S158 and look	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:31

S164	1	"20040264380"	US-PGPUB; USPAT	OR	ON	2008/02/23 19:15
S165	2	((("6643287") or ("7243258")). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/02/23 19:18
S166	118	(equal-cost (equal adj cot) equalcost)	US-PGPUB; USPAT	OR	ON	2008/02/25 12:33
S167	105	(equal-cost (equal adj cot) equalcost) and rout\$3	US-PGPUB; USPAT	OR	ON	2008/02/25 12:36
S168	87	(equal-cost (equal adj cot) equalcost) and rout\$3 with packet\$1	US-PGPUB; USPAT	OR	ON	2008/02/25 12:36
S169	100	(equal-cost (equal adj cot) equalcost) and rout\$3 and packet\$1	US-PGPUB; USPAT	OR	ON	2008/02/25 12:37
S170	99	(equal-cost (equal adj cot) equalcost) and rout\$3 and packet\$1 and (select\$3 point \$3 dtermin\$3 separat\$3)	US-PGPUB; USPAT	OR	ON	2008/02/25 12:38
S171	62	((equal-cost (equal adj cot) equalcost) and rout\$3 and packet\$1 and (select\$3 point \$3 determin\$3 separat\$3)) and @ad< "20030627"	US-PGPUB; USPAT	OR	ON	2008/02/25 12:41
S172	46	((equal-cost (equal adj cot) equalcost) same rout\$3 and packet\$1 and (select\$3 point \$3 determin\$3 separat\$3)) and @ad< "20030627"	US-PGPUB; USPAT	OR	ON	2008/02/25 12:41
S173	13	((equal-cost (equal adj cot) equalcost) same rout\$3 same packet\$1 and (select\$3 point \$3 determin\$3 separat\$3)) and @ad< "20030627"	US-PGPUB; USPAT	OR	ON	2008/02/25 12:41
S174	8	((equal-cost (equal adj cot) equalcost) same rout\$3 same packet\$1 same (select\$3 point \$3 determin\$3 separat\$3)) and @ad< "20030627"	US-PGPUB; USPAT	OR	ON	2008/02/25 12:42
S175	1	"20040264380"	US-PGPUB; USPAT	OR	ON	2008/02/25 12:50
S176	1	S175 and instruction\$1	US-PGPUB; USPAT	OR	ON	2008/02/25 12:51
S177	1	S175 and instruction\$1 with weight	US-PGPUB; USPAT	OR	ON	2008/02/25 13:21
S178	1	"20040264380"	US-PGPUB; USPAT	OR	ON	2008/02/25 15:35
S179	1	S178 and instruction\$1 with weight	US-PGPUB; USPAT	OR	ON	2008/02/25 15:35
S180	1	S178 and (set adj instruction \$1) with weight	US-PGPUB; USPAT	OR	ON	2008/02/25 15:35

S181	1	S178 and (set adj instruction \$1)	US-PGPUB; USPAT	OR	ON	2008/02/25 15:35
S182	5	((equal-cost (equal adj cot) equalcost) same lookup) and @ad< "20030627"	US-PGPUB; USPAT	OR	ON	2008/02/25 16:00
S183	5	((equal-cost (equal adj cot) equalcost) same (lookup (look adj up))) and @ad< "20030627"	US-PGPUB; USPAT	OR	ON	2008/02/25 16:00
S184	723979	((("same" equal) same (cost matrix path))	US-PGPUB; USPAT	OR	ON	2008/02/25 17:04
S185	58067	((("same" equal) same (cost matrix path)) same (memory buffer cache)	US-PGPUB; USPAT	OR	ON	2008/02/25 17:06
S186	12899	((("same" equal) with (cost matrix path)) with (memory buffer cache)	US-PGPUB; USPAT	OR	ON	2008/02/25 17:07
S187	724538	((("same" equal) same (cost matrix path))	US-PGPUB; USPAT	OR	ON	2008/02/26 07:32
S188	58135	((("same" equal) same (cost matrix path)) same (memory buffer cache)	US-PGPUB; USPAT	OR	ON	2008/02/26 07:32
S189	12918	((("same" equal) with (cost matrix path)) with (memory buffer cache)	US-PGPUB; USPAT	OR	ON	2008/02/26 07:32
S190	576	((("same" equal) with (cost matrix path)) with (memory buffer cache)) with (index\$3 point\$3)	US-PGPUB; USPAT	OR	ON	2008/02/26 07:33
S191	452	S190 and @ad< "20030627"	US-PGPUB; USPAT	OR	ON	2008/02/26 07:34
S192	101	((("same" equal) near2 (cost matrix path)) with (memory buffer cache)) with (index\$3 point\$3)	US-PGPUB; USPAT	OR	ON	2008/02/26 07:37
S193	79	S192 and @ad< "20030627"	US-PGPUB; USPAT	OR	ON	2008/02/26 07:37
S194	3374	(370/235,238,238.1).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/02/26 07:49
S195	3	S190 and S194	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 07:49
S196	6879	((370/235,238,238.1) or (709/241,238)).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/02/26 07:52

S197	94	S189 and S196	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 07:52
S198	78	S197 and @ad<"20030627"	US-PGPUB; USPAT	OR	ON	2008/02/26 07:52
S199	21960	load adj balanc\$3	US-PGPUB; USPAT	OR	ON	2008/02/26 09:26
S200	870	S196 and S199	US-PGPUB; USPAT	OR	ON	2008/02/26 09:26
S201	79	S200 and (equal "same") adj path	US-PGPUB; USPAT	OR	ON	2008/02/26 09:26
S202	107	S200 and (equal "same") adj (path route)	US-PGPUB; USPAT	OR	ON	2008/02/26 09:27
S203	76	S202 and @ad<"20030627"	US-PGPUB; USPAT	OR	ON	2008/02/26 09:27
S204	12	S203 and equal adj cost	US-PGPUB; USPAT	OR	ON	2008/02/26 09:37
S205	1	("6643287").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/02/27 10:29
S206	1	("7243258").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/02/27 11:26

2/ 27/ 2008 12:56:47 PM

C:\Documents and Settings\nmahmoudzadeh\My Documents\EAST\Workspaces
 \10825656_20040264380.wsp